



For 100 years, Panasonic has been the name to know in highest-quality, newest technology for everyone. Today that legacy of quality, trust and innovation is here in our finest professional line of high-efficiency, easy-to-use Food Service Equipment. Experience the difference our decades of expertise can make for your type of kitchen and cuisine. Your clientele will too.



COMMERCIAL

HIGH-SPEED OVEN

PERFECT FOR:

- » Quick Service Restaurants
- » Coffee Shops and Delis
- » Convenience Stores
- » Hotels & Resorts
- » Health Care



NE-SCV2NAPR

- 3-Stage Cooking with Microwave (w/Inverter), Convection & Broil functions
- Compact + stackable—designed for kitchens where space is at a premium
- Ventless cooking by catalytic converter to eliminate odors and emissions
- Easy to see and operate with color LCD touch panel
- Customizable menu settings via SD Card (USB adapter included)
- Capable of storing up to 1000 unique recipe settings (17 pre-programmed menus)
- Easy to clean and maintain w/accessible parts



CULINARY PERFORMANCE

Combine **Convection, Broil and Microwave** functions into 6 versatile heating patterns for frozen, refrigerated and room-temperature dishes.

Category	Product	Start Temp.	Qty/Size	Time (m:s)
Sandwich	Bkfst Sandwich	Refrigerated	1 pc.	1:10
Pastry	Croissant	Room temp.	1 pc.	0:23
Pastry	Muffin	Room temp.	1pc.	0.25
Pizza	Pizza	Frozen	9 in.	3:00
Appetizers	Chicken Fingers	Frozen	4 pcs.	1:30
Appetizers	Mozz. Sticks	Frozen	4 pcs.	0:40
Appetizers	Quiche	Frozen	1 pc.	2:15

Panasonic

Premium Food Service Equipment
Unmatched Experience.






COMMERCIAL

MICROWAVE OVENS PRO



PERFECT FOR:

- » Vending
- » Break rooms
- » Waitress stations
- » Front of house



Bottom Energy Feed

Energy travels less distance to reach the food, compared to side or top energy feed, for increased efficiency.



"Grab & Go" Door Handle

Without moving parts like those found in trigger-activated or push button handles, the "Grab & Go" door handle is fast and durable.

1000 Watts of Cooking Power



NE-1064F

- Touch-control keypad with Braille
- Stainless steel cabinet and cavity
- Programmable and manual operation
- 6 power levels
- 2- and 3-stage cooking
- Program list/cycle counter
- Self diagnostics
- 99:99-minute capacity
- Tone control



NE-1054F

- Touch-control keypad with Braille
- Compact size
- 6 power levels
- 2- and 3-stage cooking
- Programmable and manual operation
- 10 programmable memory pads with 20-memory capability
- Program list/cycle counter
- Self diagnostics
- 99:99-minute capacity
- Tone control



NE-1025F

- 6-minute electronic dial timer
- Auto reset feature
- Compact size

UNIVERSAL FEATURES

- 0.8 cubic feet cavity
- Grab & Go door handle
- NSF and UL commercial approved
- Bottom energy feed
- Fits 1 half-size, 6" deep steam table pan/cover
- Cavity light
- See-through oven door
- Cord Length: 5'-5"
- Anti-theft equipped
- Will ship via UPS

Panasonic

Premium Food Service Equipment
Unmatched Experience.





COMMERCIAL

MICROWAVE OVENS PRO1



PERFECT FOR:

- » Quick serve and casual dining applications
- » Chef's line
- » Overshelf
- » High volume application where space is at a premium
- » Fast 1/2 pan cooking/re-therm



micro**save**®

CAVITY LINER

Specially designed and exclusive to Panasonic for the following Pro1 models:

NE-12521 / NE-12523 / NE-17521 / NE-17523 / NE-17723



NE-CPS2A-USA

- Easily removable with rigid protection
- Avoid costly repairs of internal Microwave components such as: base plate, ceiling plate and light lens cover
- Keeps microwave cavity hygienically clean
- Can extend the life of the microwave key components
- Dishwasher-safe
- NSF worldwide approved
- TPX Polycarbonate
- Unit Dimension (HxWxD)
6.4" x 12.94" x 11.79"
- Carton Dimension (HxWxD)
13.36" x 7" x 13.75"

2100 Watts

NE-21521

NE-21523

1700 Watts

NE-17521

NE-17523

NE-17723

(SD Programming)



Upgrade your performance with PRO1:

Quickly achieve delicious, consistent product your clients will love in a fraction of time.

- **Higher Wattage:** Quicker, more efficient operation—and better retains foods' nutrients!
- **Programmable:** Same flavorful outcome every time
- **Additional Power Levels and Multi-stage Cooking:** Best showcase the flavor in your food
- Enhanced diagnostics, enhanced heating elements
- Auto voltage switching

UNIVERSAL FEATURES

- 0.6 cubic feet capacity
- 16-5/8"-wide
- Auto voltage switching
- Independent top/bottom energy feed control*
- Fits 1 half-size 6" deep steam table pan/cover
- Quick clean stainless steel cabinet + cavity
- Compact size, heavy-duty performance
- 2 magnetrons (heating elements)
- One-Touch start feature
- 15 power levels
- 5-stage cooking
- Controllable LED Lights
- 30-memory capability*¹
- Enhanced diagnostics
- Cycle counter
- Programmable lock
- Easy clean air filter with reminder
- Patented safety door seal system
- See-through oven door
- Removable ceiling splatter shield
- Digital display
- Stackable

*¹ NE-17723 Features SD Programming with 1300 Programs



COMMERCIAL STEAMERS PRO2

PERFECT FOR:

Heavy-volume steaming and microwave applications:

- » Restaurants
- » Supermarkets
- » Delicatessens
- » School food service
- » Health Care
- » Banquets and Buffets
- » Catering Services
- » Arenas and more!



3200 Watts



2100 Watts



NE-3280

MEET YOUR NEW PREP COOK!

- No water line or reservoir
- No hood required
- Portable
- 3200/2100 Watt



NE-2180

High wattage allows the steamer to deliver effective, accurate heat that yields perfectly cooked products, and faster than any traditional steamer!

UNIVERSAL FEATURES

- Fits 2, 4" deep, full-size steam pans/covers
- 1.6 cubic feet capacity
- Drop-down counter style door
- Stainless steel cabinet and cavity
- Top and bottom energy feed
- 4 magnetrons (heating elements)
- 8 programmable memory pads
- 5 power levels
- 3-Stage cooking
- Program list/cycle counter
- Programmable or dial timer
- Easy-clean air filters
- See-through oven door
- Digital display
- Self diagnostics
- Shift key (AM-PM)
- Removable center shelf
- Tone control
- NSF and UL commercial approved

Find recipes, applications and suggested cook times in our **Sonic Steamer Cookbook**, free online!

CULINARY PERFORMANCE (NE-3280)

Category	Product	Minute/Lb	Lb/Hour
Seafood	Shrimp	1:00	60
	Lobster	1-2	55
	Fish	2:00	30
Vegetable	Asparagus	0:40	100
	Potato	2:00	30
	Green Beans	1:20	46
	Broccoli	1:15	48
Meat	Meatballs	1:30	30
	Hot Dogs	0:30/dozen	104 dozen



COMMERCIAL RICE + GRAIN COOKERS

PERFECT FOR:

- » Casual Dining
- » Quick Serve
- » K-12 Schools and Universities
- » Commercial Restaurant Use
- » Large Public Venues



80-Cup^{*2}



SR-GA721L

- 168 – 3 oz. portions (approx.)
- Anodized aluminum inner pan with Stainless steel lid
- Triple Safety thermal fuse built-in
- Automatic shut-off
- Easy push-button operation
- Direct heating system
- Includes measuring cup
- Silver exterior color
- 208V

60-Cup^{*2}



SR-GA541H / FH

- 123 - 3 oz portions (approx.)
- Anodized Aluminum Pan w/Stainless Steel lid (SR-GA541H)
- Durable Non-Stick coated Pan (Fluoride Teflon) (SR-GA541FH)
- Double Safety Thermal Fuse Built-in
- Easy push-button operation
- Includes measuring cup
- Silver exterior color
- 120V

46-Cup^{*2}



SR-42H2P

- 94 – 3 oz. portions (approx.)
- 8-hour keep warm feature
- Anodized aluminum inner pan with Stainless steel lid
- Double heating coil
- Double Safety thermal fuse built-in
- Easy push-button operation
- Includes measuring cup
- Silver exterior color
- 120V

46-Cup^{*2}



SR-GA421H / FH

- 94 – 3 oz. portions (approx.)
- “Keep warm” feature
- Anodized aluminum inner pan w/ stainless steel lid (SR-GA421H)
- Non-stick inner pan (SR-GA421FH)
- Double Safety thermal fuse built-in
- Easy push-button operation
- Includes measuring cup
- White exterior color
- 120V

40-Cup^{*2}



SR-2363ZW

- 70 – 3 oz. portions (approx.)
- 5 Hour Keep Warm
- Automatic cooking setting
- Superior holding capability
- Heavy duty non-stick coated pan
- Locking lid with silicone rubber seal
- Magnetic rice scoop holder
- Easy-to-use carrying handles
- Multi-language instructions (English/Chinese/Korean/Vietnamese)
- Includes measuring cup, rice scoop and magnetic rice scoop holder
- 120V

UNIVERSAL FEATURES

Panasonic's proven, easy-to-use Rice/Grain Cookers are designed for quality, convenience and flavorful results. Perfectly aligned with current interest in consuming more and healthier grains, Panasonic cookers lead the way with:

- 1 button operation. Just press and cook
- All grains capability: rice, quinoa, wheat berries, faro and more
- UL and NSF for safety commercial certification
- Keep warm options. Less waste, lower costs
- Removable pan. Quick, easy clean up

^{*2} Based on cooked rice



Panasonic

Premium Food Service Equipment
Unmatched Experience.

Division of **Panasonic Corporation of North America**
2 Riverfront Plaza | Newark, NJ 07102 | (201) 348-7000
www.panasonic.com/cmo

TECHNICAL SPECIFICATIONS	COMMERCIAL MICROWAVE OVENS PRO			COMMERCIAL HIGH-SPEED OVEN	
	NE-1064F	NE-1054F	NE-1025F	TECHNICAL SPECS.	NE-SCV2NAPR
Power Source:	120V, 60Hz, Single Phase	120V, 60Hz, Single Phase	120V, 60Hz, Single Phase	Power Source	208/240V, 60Hz
Receptacle Required:	NEMA 5-15	NEMA 5-15	NEMA 5-15	Receptacle Required	20Amp / NEMA 6-20, Single Phase
Frequency:	2,450MHz	2,450MHz	2,450MHz	Frequency	2,450 MHz
Required Power:	13.4A	13.4A	13.4A	Required Power	3,750W, 19A (208V), 17A(240V)
Output:	1000 Watts*	1000 Watts*	1000 Watts*	Output (microwave/convection/grill)	1,200W / 1,150W / 1,800W
Outer Dimensions: (w x d x h)	20-1/8" x 16-1/2" x 12"	20-1/8" x 16-1/2" x 12"	20-1/8" x 16-1/2" x 12"	Microwave Technology	Inverter
Cavity Dimensions: (w x d x h)	13" x 13" x 8-1/16"	13" x 13" x 8-1/16"	13" x 13" x 8-1/16"	Outer Dimensions (w x d x h)	18 11/16" x 22 1/4" x 16 3/16"
Net Weight:	34 lbs.	34 lbs.	34 lbs.	Cavity Dimensions (w x d x h)	10 5/8" x 13" x 4 5/16"
Shipping Weight:	40 lbs.	40 lbs.	40 lbs.	Net / Shipping Weight	83.3 lbs / 100 lbs
Shipping Box Size: (w x d x h)	24" x 18-3/4" x 14-3/4" – 3.8 cu. ft.	24" x 18-3/4" x 14-3/4" – 3.8 cu. ft.	24" x 18-3/4" x 14-3/4" – 3.8 cu. ft.	Shipping Box Size (w x d x h)	28"W x 23"D x 22"H
Timer:	99 Minutes, 99 Seconds	99 Minutes, 99 Seconds	6 Min. Electronic Dial w/ Auto Reset	Stackable	Yes
Memory Capability:	20 Programs	20 Programs	N/A	Memory Capability	1000 recipes
Door / Cabinet / Cavity:	All Stainless	Stainless / Grey / White	Stainless / Grey / White	Door / Cabinet / Cavity	Stainless

TECHNICAL SPECIFICATIONS	COMMERCIAL STEAMERS PRO2		HIGH-POWER (PERFORMANCE) COMMERCIAL MICROWAVE OVENS PRO1		
	NE-3280	NE-2180	NE-21521 / NE-21523	NE-17521 / -17523 / -17723	NE-12521 / NE-12523
Power Source:	208/230-240V, 60Hz, Single Phase	208/230-240V, 60Hz, Single Phase	208/230-240V, 60Hz, Single Phase	208/230-240V, 60Hz, Single Phase	120V, 60Hz, Single Phase
Receptacle Required:	30 Amp, NEMA 6-30	30 Amp, NEMA 6-30	NEMA 6-20	NEMA 6-20	NEMA 5-20
Frequency:	2,450MHz	2,450MHz	2,450MHz	2,450MHz	2,450MHz
Required Power:	208V (28.0A), 230-240V (25.3A)	208V (20.0A), 230-240V (18.0A)	208V (16.3A), 230-240V (14.9A)	208V (13.6A), 230-240V (12.2A)	17.3A
Output:	3200 Watts*	2100 Watts*	2100 Watts*	1700 Watts*	1200 Watts*
Outer Dimensions: (w x d x h)	25 3/8" x 20 3/4" x 18 9/16"	25 3/8" x 20 3/4" x 18 9/16"	16-5/8" x 20" x 13-1/8"	16-5/8" x 20" x 13-1/8"	16-5/8" x 20" x 13-1/8"
Cavity Dimensions: (w x d x h)	21-1/16" x 13" x 9-7/8"	21-1/16" x 13" x 9-7/8"	13" x 12" x 6-1/8"	13" x 12" x 6-1/8"	13" x 12" x 6-1/8"
Net Weight:	137 lbs.	117 lbs.	68 lbs.	61 lbs.	59 lbs.
Shipping Weight:	151 lbs.	133 lbs.	72 lbs.	68 lbs.	65 lbs.
Shipping Box Size: (w x d x h)	29-7/8" x 26-1/8" x 22-1/4" 9.9 cu.ft.	29-7/8" x 26-1/8" x 22-1/4" 9.9 cu.ft.	19-15/16" x 24-1/8" x 16-7/8" 4.7 cu. ft.	19-15/16" x 24-1/8" x 16-7/8" 4.7 cu. ft.	19-15/16" x 24-1/8" x 16-7/8" 4.7 cu. ft.
Timer:	Maximum times for each stage of cooking: - Hi and Med. Power = 15 minutes - Low, Defrost and Hold Power 60 minutes	Maximum times for each stage of cooking: - Hi and Med. Power = 15 minutes - Low, Defrost and Hold Power 60 minutes	Maximum times for each stage of cooking: Times vary for each (of 15) power levels (See Manual)	Maximum times for each stage of cooking: Times vary for each (of 15) power levels (See Manual)	Maximum times for each stage of cooking: Times vary for each (of 15) power levels (See Manual)
Memory Capability:	16 Programs	16 Programs	30 Programs	30 Programs**	30 Programs

TECHNICAL SPECIFICATIONS	COMMERCIAL RICE + GRAIN COOKERS				
	SR-GA721L	SR-42HZP	SR-GA421H / FH	SR-2363ZW	SA-GA541H / FH
Power Source:	208V - 60Hz	120V AC, 60Hz	120V AC, 60Hz	120V AC, 60Hz	120V AC, 60Hz
Power Consumption	2235W	1550W	1550W	1400W	1800W
Capacity	Raw Rice: 13 lbs. (40 - 6 oz. cups); Servings: 168 - 3 oz. Portions	Raw Rice: 7.6 lbs. (23 - 6 oz. cups); Servings: 94 - 3 oz. Portions	Raw Rice: 7.6 lbs. (23 - 6 oz. cups); Servings: 94 - 3 oz. Portions	Raw Rice: 6.6 lbs. (20 - 6 oz. cups); Servings: 70 - 3 oz. Portions	Raw Rice: 6.6 lbs. (20 - 6 oz. cups); Servings: 123 - 3 oz. Portions
Keep Warm	N/A	8 hours	5 hours	8 hours	5 hours
Unit Dimensions (h x w x d)	14" x 22" x 19"	11-7/8" x 16-7/8" x 10-1/2"	11-7/8" x 16-7/8" x 10-1/2"	14-1/8" x 16-7/8" x 14-4/5"	14-1/8" x 16-7/8" x 14-4/5"
Unit Net Weight	25 lbs.	12 lbs.	12 lbs.	19 lbs.	26.5 lbs.
Exterior Color	Silver	Silver	White	White Stripe	Silver
Shipping Weight	30 lbs.	14 lbs.	14 lbs.	21 lbs.	29.8 lbs.

* IEC 705 Test Procedure

** SD Card Raises Memory Capability to 1300 - available on model NE-17723

Panasonic Commercial Food Service & Technical Assistance

Call toll free **1-888-350-9590 (option 1)** for **Parts** 9AM – 6PM (est) Monday through Friday

Call toll free **1-888-350-9590 (option 2)** for **nearest USA Distributor**

Call toll free **1-877-266-6836** for **Service** 9AM – 6PM (est) Monday through Friday

Online Sales Support: www.panasonic.com/cmo (Food Service Equipment)

