T&S BRASS AND BRONZE WORKS, INC.


2 Saddleback Cove / P.O. Box 1088 Travelers Rest, SC 29690

Model No.

B-0662

Item No.

Travelers Rest, SC: 800-476-4103 • Simi Valley, CA: 800-423-0150 • Fax: 864-834-3518 • www.tsbrass.com



Product Specifications:

8" Service Sink Faucet, Eterna Cartridges w/ Spring Checks, Lever Handles, Upper Support Rod, Garden Hose Male Outlet, Polished Chrome Finish, Vacuum Breaker, Wall Braces & 1/2" NPT Female Inlets w/ Integral Stops (Designed for Exposed Ceiling Supply Lines)

ASME A112.18.1 / CSA B125.1 NSF 61 Exempt (Non-Potable) ANSI A117.1 (ADA) ASSE 1001 (VB)

Drawn: KJG Checked: JRM Approved: Date: 06/02/14 Scale: 1:8 Sheet: 1 of 2



T&S BRASS AND BRONZE WORKS, INC.

2 Saddleback Cove / P.O. Box 1088 Travelers Rest, SC 29690 Model No.

B-0662

Item No.

Travelers Rest, SC: 800-476-4103 • Simi Valley, CA: 800-423-0150 • Fax: 864-834-3518 • www.tsbrass.com

Travelers Rest, SC: 800-476-4103 • Simi Valley, CA: 800-423-0150 • Fax: 864-834-3518 • www.tsbrass.com			
ITEM NO.	SALES NO.	DESCRIPTION	
1	B-0969	1/2" NPT Vacuum Breaker	
2	001661-45	Red Index-HW	
3	012443-40	Eterna Cartridge, RTC w/ Spring Check	
4	001660-45	Blue Index-CW	
5	002712-40	Eterna Cartridge, RTC w/ Spring Check, Handle, Index & Screw	
6	000922-45	Lever Handle Screw	
7	001605-45	Сар	2
8	001638-45	Lever Handle	Comple
9	002892-40	Service Stop Spindle w/ Cap	—Supply Pipes
10	000763-20	Seat	Shown for
11	012442-40	Eterna Cartridge, LTC w/ Spring Check	✓ Reference "ONLY"
12	002711-40	Eterna Cartridge, LTC w/ Spring Check, Handle, Index & Screw	ONET
13	B-0110	6" Wall Bracket	
14	00JJ	1/2" NPT Female Inlet w/ Loose Key Stop	
15	001019-45	Coupling Nut Washer	Gy
16	002534-25	Close Nipple, 1/2" NPT	
17	009545-40	Spout w/ Male GH Outlet & Upper Clevis - Polished Chrome	(13) (7) (9) (10)
18	009546-40	Upper Support Rod	
18			
17 2 3 4 10 11 12			

Product Specifications:

8" Service Sink Faucet, Eterna Cartridges w/ Spring Checks, Lever Handles, Upper Support Rod, Garden Hose Male Outlet, Polished Chrome Finish, Vacuum Breaker, Wall Braces & 1/2" NPT Female Inlets w/ Integral Stops (Designed for Exposed Ceiling Supply Lines)

Product Compliance:

ASME A112.18.1 / CSA B125.1 NSF 61 Exempt (Non-Potable) ANSI A117.1 (ADA) ASSE 1001 (VB)

Drawn: KJG Checked: JRM Approved: JHB Date: 06/02/14 Scale: NTS Sheet: 2 of 2