User Manual





Electric Rice Cooker / Warmer With Removable Lid

SKU#PA3023 / RT-215 SKU#PA3035 / RT-219

35 Cups Raw • 120V • 1550W

SKU#PA3050 / RT-230 50 Cups Raw • 240V • 3000W



Table of Contents

Specifications	1
Safety Precautions	2
Parts Identification	
Unique Features	
Operation	
Cooking Tips	
Using an Extension Cord	
Cleaning & Maintenance	

Specifications

Model	SKU#PA3023/RT-215	SKU#PA3035/RT-219	SKU#PA3050/RT-230	
Voltage	120V	120V	240V	
Wattage	1550W	1550W	3000W	
Capacity (Raw)	23 Cups	35 Cups	50 Cups	
Capacity(Cooked)	46 Cups	70 Cups	100 Cups	
Weight	10.47 lbs	14.72 lbs.	23.8 lbs.	
Width	17.55"	19.92"	21.77"	
Depth	15.15"	17.71"	19.48"	
Height	12"	12.48"	14.33"	


Safety Precautions

↑ WARNING

- · Read all instructions carefully before using the appliance for the first time.
- · DO NOT touch hot surfaces. Use handles.
- · To prevent electric hazards, DO NOT immerse cord, plug, or rice cooker heating plate in water or other liquid.
- · Close supervision is necessary when children are present.
- · Before plugging in power cord, ensure voltage rating of outlet is suitable for the equipment.
- Unplug appliance from wall outlet when not in use and before cleaning. Allow appliance to cool completely before putting on or taking off pot.
- DO NOT operate appliance if cord has been damaged, or if appliance malfunctions or suffers serious damage.
- · NEVER put water or any liquid into the outer pot. Water should be placed only in the inner pot.
- · DO NOT heat cooking pot on any other stove.
- · NEVER plug in the power cord without the inner pot inside the cooker.
- · ONLY use the inner pot provided. Using other brands may cause damage.
- The burn-proof pad should be placed on the inner pot. DO NOT put it on top of the electricheat plate, otherwise it will cause damage to this cooker.
- · DO NOT let cord hang over edge of table or counter, or allow it to touch hot surfaces.
- · DO NOT place appliance on or near gas or electric burner, or in heated oven.
- · Use extreme caution when moving appliances containing hot oil or other hot liquids.
- · ALWAYS plug cord into a wall outlet. To disconnect, remove by plug, not cord.
- · ALWAYS place the unit on a flat, level surface.
- · Rice cooker should be stored and operated away from high temperatures.
- · DO NOT block the steam vent on the top of the lid.
- · DO NOT connect or disconnect the power cord with wet hands.
- · NEVER place the unit into your refrigerator or freezer.
- · DO NOT use this appliance for anything other than its intended use.
- · DO NOT use abrasive sponges and scrubbers that could scratch surface.
- CAUTION: Risk of fire or burn hazard. DO NOT store combustible material in container.
 To reduce the risk of electric shock, cook only in removable container. Risk of fire or electric shock.
 Only operate this appliance with the removable container in place.
- WARNING: To reduce the risk of electric shock, DO NOT remove or open bottom cover.

 No user-serviceable parts inside. Refer servicing to qualified personnel.
- · Any maintenance servicing should be performed by an authorized service representative.
- · FOR COMMERCIAL & INDOOR USE ONLY.

Parts Identification



Unique Features

EASY ONE TOUCH OPERATION:

A simple ON-OFF control switch assures ease of operation.

AUTOMATIC SHUT-OFF AND WARMING FUNCTIONS:

When the rice is cooked, the rice cooker shuts off the switches automatically to the warm function.

Operation

NOTE: 1 cup raw rice yields approx. 2 cups of cooked rice.

- 1. First, rinse the raw rice in another container until the water runs clear.
- 2. Before putting anything in the inner pot, please read the cautions carefully and observe the following in structions:
 - a. Wipe away any water outside the inner pot, then place the inner pot inside the cooker.
 - b. Turn the inner pot left and right to make sure the inner pot is placed above the heating plate properly.
- 3. Add in proper amount of raw rice to the pot:
 - a. Please use included measuring cup to measure the rice. One large 25 oz. measuring cup is included with this cooker and will hold 4 standard 6 oz. cups of rice. Follow the lines on the cup for exact measurements.

For example: for 20 cups of rice, add 5 full measuring cups of raw rice to the pot.

NOTE: This measuring cup is 4 times the size of a standard 6 oz. rice cooker measuring cup.

- 4. Add in the proper amount of water to the pot:
 - a. Fill the pot with water to the proper graduation mark or follow the 1 cup rice to 1 cup water rule (approximate) and adjust to taste.

For example: for 20 cups of rice, add water on top of 20 cups of rice up to the 20 cups graduation mark indicated on the water ruler on the inner pot.

NOTE: Water amount may need to be adjusted

according to different types of rice.Generally,


1 cup of rice requires 1 cup of water.

5. Place the lid on top of the pot.

- 6. Plug the power cord into the power outlet.
- Press the cook switch down, you will see the "cook" indicator light go on.
- 8. After the rice has finished cooking, the unit will automatically switch to its warming mode.
- 9. Wait 15 minutes before removing the cover to allow the steam to continue cooking the rice.
- 10. Stir rice before serving.
- 11. When finished, turn the switch to OFF, and unplug the unit.



- 1. When washing rice, use warm water and wash lightly. Do not scrub withforce. Pour out the waterquickly, and repeatthe process 2 to 3 times until the riceisclear.
- 2. Afterthe riceiswashed, itshould be immersed inwater for 30-60 minutes before cooking.
- The amount ofwater needed willdepend on the type and qualityofthe rice. Generally, 1 cup ofricerequires 1 cup ofwater.
- 4. For best results, do not warm rice formore than 12 hours.



User Manual Removable Lid Rice Cooker/Warmers

Using an Extension Cord

A short power cord is provided to reduce tripping hazards. Longer extension cords are available and may be used if care is exercised in their use. If an extension cord is used, please follow these instructions:

- The marked electrical rating of the extension cord should be equal to or greater than the cooker's (15A or over).
- 2. Only use an extension cord that is grounded (for countries where applicable).
- 3. Arrange extension cord so that it does not hang from cooking surface, counter, or table.
- 4. Place the extension cord where it cannot be pulled on by children or tripped over accidentally.

Cleaning & Maintenance

- 1. Unplug the plug from the wall socket before cleaning. Wait until unit is cold to clean.
- 2. DO NOT immerse any part of the outer body into water.
- 3. Clean the outside of the rice cooker with a damp cloth.
- 4. Dry the outside of the rice cooker with a clean, dry cloth.
- 5. To clean the cooking pot, soak in hot sudsy water, then gently clean the bottom of the cooking pot with a dish cloth, rubber sponge, or foam sponge.
 - BE CAREFUL not to press down too hard, or drop anything on the bottom of the cooking pot, as this can cause warping and inhibit the proper functioning of the rice cooker.
 - DO NOT use a rough cleaning tool as it will damage the nonstick coating.
- 6. Clean the bushing with a damp cloth and thoroughly dry with dry cloth.
- 7. Unplug the water reservoir and dispose of the water contained therein.
- 8. Clean the inner pot with a damp cloth. Then clean the inner pot with a dry cloth again.
- 9. Make sure all parts are dry before storage.



One Year Limited Warranty

Sentinel warrants its equipment against detects in materials and workmanship, subject to the following conditions:

Sentinel is warranted for one year, effective from the date of purchase by the original owner. A copy of the original receint or other proof of purchase is required to obtain warranty coverage. This warranty applies to the original owner only, and is not assignable.

Should any product fail to function in its intended manner under normal use within the limits defined in this warranty, at Sentinel's discretion, such product will be repaired, replaced with a refurbished unit, or replaced with a new unit by Sentinel, after defective unit has been inspected and defect has been confirmed. Sentinel does not assume any liability for extended delays in replacing any item beyond its control. This warranty does not apply to rubber and non-metallic synthetic parts that may need to be replaced due to normal usage, wear or lack of preventative maintenance.

This warranty covers products shipped into the 48 contiguous United States, Hawaii, and metropolitan areas of Alaska and Canada. Warranty coverage on products used outside the 48 contiguous United States, Hawaii and metropolitan areas of Alaska and Canada may yary.

The following conditions are not covered by warranty:

- · Equipment failure relating to improper installation, improper utility connection or supply and problems due toimproper ventilation.
- · Equipment that has not properly been maintained, damage fiom improper cleaning, and water damageto controls.
- Equipment that has not been used in an appropriate manner, or has been subject to misuse, neglect, abuseaccident, alteration, negligence, damage during transit, delivery or installation, fire, flood, riot, or act of God.
- Equipment that has the model number or serial number removed or altered.
- Equipment on which the security seal has been broken.

If the equipment has been changed, altered, modified, or repaired without express written permission from Patriot, then the manufacturer shall not be liable for any damages to any person or to any property, which may result from the use of this equipment thereafter.

This equipment is intended for commercial use only and this warranty is void if equipment is used in other than acommercial application.

For waranty and service call 888-585-9440. Please have your model number, serial number and proof of purchaseready.

"THE FOREGOING WARRANTY IS IN LEU OF ANY AND ALL WARRANTIES EXPRESSED OR IMPLIED INCLUDING ANY IMPLED WARRANTYOF MERCHANTABILTY OR FITNESS FOR PARTICULAR PURPOSES AND CONSTITUES THE ENTIRE LIABILITY OF ACE. IN NO EVENT DOES THE LIMITED WARRANTY EXTEND BEYOND THE TERMS STATED HEREIN."